

## Nervesystemet

### Nervous system

N01	Anestetika Anesthetics
N02	Analgetika <sup>1)</sup> Analgesics <sup>1)</sup>
N03	Antiepileptika Antiepileptics
N04	Antiparkinsonmidler Anti-Parkinson drugs
N05	Psykolettika Psycholeptics
N06	Psykoanaleptika Psychoanaleptics

#### Salg pr ATC 3. nivå for gruppe N - Nervesystemet

Sales per ATC 3rd level for ATC group N - Nervous system

ATC	ATC level name	mill NOK (AUP)				
		2013	2014	2015	2016	2017
N01A	Anesthetics, general	52	53	50	52	66
N01B	Anesthetics, local	78	85	91	98	103
N02A	Opioids	465	486	503	572	580
N02B	Other analgesics and antipyretics	452	476	500	522	544
N02C	Antimigraine preparations	184	182	190	175	186
N03A	Antiepileptics	390	423	467	485	477
N04A	Anticholinergic agents	2	2	1	1	1
N04B	Dopaminergic agents	140	148	157	162	152
N05A	Antipsychotics	346	365	367	347	345
N05B	Anxiolytics	114	121	115	119	116
N05C	Hypnotics and sedatives	192	211	222	254	258
N06A	Antidepressants	261	263	264	267	277
N06B	Psychostimulants, agents used for ADHD and nootropic	173	199	221	281	338
N06D	Anti-dementia drugs	93	62	51	49	47
N07A	Parasympathomimetics	2	2	2	3	4
N07B	Drugs used in addictive disorders	559	598	642	680	713
N07X	Other nervous system drugs	69	171	244	212	201

1) Se også ATC gruppe M01./See also ATC group M01.

## ATC gruppe N

ATC	ATC level name (DDD value)	DDD/1000 inhabitants/day				
		2013	2014	2015	2016	2017
<b>N02</b>	<b>Analgetika</b>	<b>61,83</b>	<b>62,98</b>	<b>63,95</b>	<b>66,26</b>	<b>67,30</b>
<b>N02A</b>	<b>Opioider</b>	<b>19,69</b>	<b>19,94</b>	<b>19,68</b>	<b>19,81</b>	<b>19,27</b>
<b>N02AA</b>	<b>Opiumsalkaloider</b>	<b>3,32</b>	<b>3,59</b>	<b>3,57</b>	<b>3,82</b>	<b>3,97</b>
N02AA01	Morfin (0,03 g P/0,1 g O) <sup>1)</sup>	1,12	1,17	1,05	1,11	1,08
N02AA03	Hydromorfon (20 mg O)	0,17	0,24	0,19	0,24	0,19
N02AA05	Oksykodon (75 mg)	1,84	1,94	2,05	2,20	2,40
N02AA55	Oksykodon og naloxon	0,20	0,24	0,27	0,28	0,30
<b>N02AB</b>	<b>Fenylpiperidinderivater</b>	<b>1,46</b>	<b>1,51</b>	<b>1,52</b>	<b>1,56</b>	<b>1,50</b>
N02AB01	Ketobemidon (50 mg)	0,12	0,12	0,12	0,11	0,08
N02AB02	Petidin (0,4 g)	0,03	0,03	0,03	0,03	0,02
N02AB03	Fentanyl (1,2 mg TD/0,6 mg N/SL)	1,31	1,36	1,37	1,43	1,40
<b>N02AE</b>	<b>Oripavinderivater</b>	<b>0,63</b>	<b>0,66</b>	<b>0,70</b>	<b>0,73</b>	<b>0,78</b>
N02AE01	Buprenorfin (1,2 mg)	0,63	0,66	0,70	0,73	0,78
<b>N02AG</b>	<b>Opioider i kombinasjon med spasmolytika</b>	<b>0,07</b>	<b>0,06</b>	<b>0,05</b>	<b>0,04</b>	<b>0,04</b>
N02AG01	Morfin og spasmolytika	0,03	0,01			
N02AG02	Ketobemidon og spasmolytika	0,05	0,05	0,05	0,04	0,04
<b>N02AJ</b>	<b>Opioider i kombinasjon med ikke-opioide analgetika</b>	<b>10,34</b>	<b>9,98</b>	<b>9,60</b>	<b>9,24</b>	<b>8,41</b>
N02AJ06	Kodein og paracetamol	10,34	9,90	9,47	9,10	8,31
N02AJ13	Tramadol og paracetamol	0,00	0,07	0,13	0,14	0,09
<b>N02AX</b>	<b>Andre opioider</b>	<b>3,86</b>	<b>4,14</b>	<b>4,26</b>	<b>4,42</b>	<b>4,56</b>
N02AX02	Tramadol (0,3 g) <sup>1)</sup>	3,83	4,09	4,18	4,30	4,40
N02AX06	Tapentadol (0,4 g)	0,04	0,05	0,08	0,11	0,16
<b>N02B</b>	<b>Andre analgetika og antipyretika</b>	<b>38,46</b>	<b>39,24</b>	<b>40,29</b>	<b>42,36</b>	<b>43,76</b>
N02BA01	Acetylsalisylsyre (3 g) <sup>2)</sup>	0,22	0,20	0,18	0,15	0,12
N02BB51	Fenazon, kombinasjoner (3 g)	1,78	1,65	1,54	1,45	1,35
N02BE01	Paracetamol (3 g)	35,92	36,82	38,07	39,98	41,80
N02BE51	Paracetamol, kombinasjoner ekskl. psykoleptika <sup>3)</sup>	0,50	0,54	0,47	0,46	0,45
<b>N02BG</b>	<b>Andre analgetika og antipyretika</b>	<b>0,03</b>	<b>0,03</b>	<b>0,03</b>	<b>0,32</b>	<b>0,04</b>
N02BG10	Cannabinoider	0,03	0,03	0,03	0,32	0,04
<b>N02C</b>	<b>Migrenemidler</b>	<b>3,68</b>	<b>3,81</b>	<b>3,97</b>	<b>4,09</b>	<b>4,28</b>
<b>N02CA</b>	<b>Sekalealkaloider</b>	<b>0,00</b>	<b>0,00</b>	<b>0,00</b>	<b>0,00</b>	<b>0,00</b>
N02CA72	Ergotamin, sammensatte preparater	0,00	0,00			
<b>N02CC</b>	<b>Selektive serotonin (5HT<sub>1</sub>) agonister</b>	<b>3,33</b>	<b>3,43</b>	<b>3,60</b>	<b>3,70</b>	<b>3,87</b>
N02CC01	Sumatriptan (50 mg O/6 mg P/ 20 mg N)	1,53	1,55	1,64	1,58	1,70
N02CC02	Naratriptan (2,5 mg)	0,05	0,06	0,06	0,07	0,07
N02CC03	Zolmitriptan (2,5 mg)	0,64	0,69	0,70	0,78	0,81
N02CC04	Rizatriptan (10 mg)	0,60	0,63	0,67	0,71	0,73
N02CC05	Almotriptan (12,5 mg)	0,07	0,07	0,07	0,07	0,07
N02CC06	Eletriptan (40 mg)	0,43	0,43	0,45	0,48	0,48
N02CC07	Frovatriptan (2,5 mg)	0,00	0,00	0,00	0,00	0,00
<b>N02CX</b>	<b>Andre migrenemidler</b>	<b>0,35</b>	<b>0,37</b>	<b>0,38</b>	<b>0,39</b>	<b>0,41</b>
N02CX02	Klonidin (0,1 mg)	0,35	0,37	0,38	0,39	0,41

1) Tallene inkluderer også salg av preparater uten markedsføringstillatelse i Norge.


2) Acetylsalisylsyrepreparater godkjent brukt som tromboseprofylakse er klassifisert i B01AC og følgelig ikke inkludert her.

Acetylsalicylic acid products intended for use in thrombosis prophylaxis are classified in B01AC, and accordingly not included in this table.

3) Kombinasjoner med koffein og/eller acetylsalisylsyre.

**Salg av smertestillende midler, omfatter både reseptfrie og reseptbelagte pakninger 1990 - 2017**

Total sales of analgesics, incl. OTC and prescription only packages 1990 - 2017



ATC	ATC level name (DDD value)	DDD/1000 inhabitants/day				
		2013	2014	2015	2016	2017
<b>N03</b>	<b>Antiepileptika</b>	<b>15,72</b>	<b>15,98</b>	<b>16,64</b>	<b>16,83</b>	<b>17,46</b>
<b>N03A</b>	<b>Antiepileptika</b>	<b>15,72</b>	<b>15,98</b>	<b>16,64</b>	<b>16,83</b>	<b>17,46</b>
<b>N03AA</b>	<b>Barbiturater og derivater</b>	<b>0,59</b>	<b>0,54</b>	<b>0,51</b>	<b>0,49</b>	<b>0,47</b>
N03AA02	Fenobarbital (0,1 g) <sup>1)</sup>	0,59	0,54	0,51	0,49	0,47
<b>N03AB</b>	<b>Hydantoinderivater</b>	<b>0,31</b>	<b>0,29</b>	<b>0,25</b>	<b>0,22</b>	<b>0,21</b>
N03AB02	Fenytoin (0,3 g) <sup>1)</sup>	0,31	0,29	0,25	0,22	0,21
<b>N03AE</b>	<b>Benzodiazepinderivater</b>	<b>0,50</b>	<b>0,43</b>	<b>0,38</b>	<b>0,33</b>	<b>0,28</b>
N03AE01	Klonazepam (8 mg)	0,50	0,43	0,38	0,33	0,28
<b>N03AF</b>	<b>Karboksamidderivater</b>	<b>1,92</b>	<b>1,89</b>	<b>1,83</b>	<b>1,78</b>	<b>1,74</b>
N03AF01	Karbamazepin (1 g)	1,37	1,31	1,24	1,17	1,11
N03AF02	Okskarbazepin (1 g)	0,47	0,49	0,49	0,50	0,50
N03AF03	Rufinamid (1,4 g)	0,02	0,02	0,02	0,02	0,01
N03AF04	Eslikarbazepin (0,8 g)	0,06	0,07	0,08	0,10	0,12
<b>N03AG</b>	<b>Fettsyrederivater</b>	<b>1,79</b>	<b>1,79</b>	<b>1,80</b>	<b>1,79</b>	<b>1,79</b>
N03AG01	Valproinsyre (1,5 g) <sup>1)</sup>	1,78	1,78	1,78	1,78	1,78
N03AG04	Vigabatrin (2 g)	0,01	0,01	0,01	0,01	0,01

1) Tallene inkluderer også salg av preparater uten markedsføringstillatelse i Norge.

## ATC gruppe N

ATC	ATC level name (DDD value)	DDD/1000 inhabitants/day				
		2013	2014	2015	2016	2017
<b>N03AX</b>	<b>Diverse antiepileptika</b>	<b>10,61</b>	<b>11,03</b>	<b>11,88</b>	<b>12,22</b>	<b>12,98</b>
N03AX09	Lamotrigin (0,3 g)	3,82	4,07	4,09	4,15	4,32
N03AX10	Felbamat (2,4 g)	0,00	0,00	0,00	0,00	0,00
N03AX11	Topiramet (0,3 g)	0,27	0,28	0,30	0,30	0,31
N03AX12	Gabapentin (1,8 g)	2,28	2,22	2,68	2,76	2,97
N03AX14	Levetiracetam (1,5 g)	1,24	1,30	1,47	1,52	1,60
N03AX15	Zonisamid (0,2 g)	0,15	0,16	0,18	0,17	0,17
N03AX16	Pregabalin (0,3 g) <sup>1)</sup>	2,74	2,88	3,03	3,15	3,39
N03AX17	Stiripentol (1 g)	0,00	0,00	0,01	0,01	0,01
N03AX18	Lacosamid (0,3 g)	0,07	0,08	0,10	0,10	0,12
N03AX21	Retigabin (0,9 g)	0,01	0,00	0,00	0,00	
N03AX22	Perampanel (8 mg)	0,01	0,03	0,03	0,04	0,04
N03AX23	Brivaracetam (0,1 g)				0,01	0,04
<b>N04</b>	<b>Antiparkinsonmidler</b>	<b>3,82</b>	<b>3,99</b>	<b>4,08</b>	<b>4,12</b>	<b>4,18</b>
<b>N04A</b>	<b>Antikolinergika</b>	<b>0,19</b>	<b>0,18</b>	<b>0,17</b>	<b>0,16</b>	<b>0,15</b>
N04AA02	Biperiden (10 mg)	0,19	0,18	0,17	0,16	0,15
<b>N04BA</b>	<b>Dopa og dopaderivater</b>	<b>1,38</b>	<b>1,47</b>	<b>1,51</b>	<b>1,57</b>	<b>1,62</b>
N04BA02	Levodopa og dekarboksylasehemmer (0,6 g)	1,07	1,15	1,19	1,24	1,30
N04BA03	Levodopa, dekarboksylasehemmer og COMT-hemmer (0,45 g)	0,32	0,32	0,32	0,33	0,32
<b>N04BC</b>	<b>Dopaminagonister</b>	<b>1,15</b>	<b>1,22</b>	<b>1,24</b>	<b>1,19</b>	<b>1,18</b>
N04BC04	Ropinirol (6 mg)	0,61	0,63	0,65	0,61	0,59
N04BC05	Pramipexol (2,5 mg)	0,42	0,47	0,48	0,47	0,49
N04BC06	Kabergolin (3 mg)	0,02	0,01	0,01	0,01	0,01
N04BC07	Apomorfin (20 mg)	0,01	0,01	0,01	0,02	0,02
N04BC09	Rotigotin (6 mg)	0,10	0,10	0,09	0,08	0,08
<b>N04BD</b>	<b>MAO-hemmere, type B</b>	<b>1,08</b>	<b>1,11</b>	<b>1,15</b>	<b>1,19</b>	<b>1,21</b>
N04BD01	Selegilin (5 mg)	0,79	0,81	0,83	0,84	0,85
N04BD02	Rasagilin (1 mg)	0,29	0,30	0,32	0,34	0,34
N04BD03	Safinamid (75 mg)				0,00	0,01
<b>N04BX</b>	<b>Andre dopaminerge midler</b>	<b>0,02</b>	<b>0,02</b>	<b>0,02</b>	<b>0,02</b>	<b>0,02</b>
N04BX01	Tolcapon (0,45 g)	0,00	0,00			
N04BX02	Entacapon (1 g)	0,02	0,02	0,02	0,02	0,02
<b>N05</b>	<b>Psykoletika</b>	<b>73,56</b>	<b>73,30</b>	<b>71,69</b>	<b>70,91</b>	<b>69,37</b>
<b>N05A</b>	<b>Antipsykotika</b>	<b>10,97</b>	<b>11,11</b>	<b>11,26</b>	<b>11,13</b>	<b>11,15</b>
<b>N05AA</b>	<b>Fentiaziner med alifatisk sidekjede</b>	<b>0,25</b>	<b>0,23</b>	<b>0,20</b>	<b>0,18</b>	<b>0,16</b>
N05AA02	Levomepromazin (0,3 g O/0,1 g P)	0,25	0,23	0,20	0,18	0,16
<b>N05AB</b>	<b>Fentiaziner med piperazinring i sidekjeden</b>	<b>0,33</b>	<b>0,24</b>	<b>0,25</b>	<b>0,23</b>	<b>0,22</b>
N05AB03	Perfenazin (30 mg O/10 mg P/7mg P (dep))	0,27	0,18	0,19	0,18	0,17
N05AB04	Proklorperazin (0,1 g O,R/50 mg P)	0,06	0,06	0,05	0,05	0,04
<b>N05AD</b>	<b>Butyrofenonderivater</b>	<b>0,26</b>	<b>0,24</b>	<b>0,22</b>	<b>0,21</b>	<b>0,20</b>
N05AD01	Haloperidol (8 mg O,P/3,3 mg P (depot))	0,25	0,23	0,21	0,20	0,19
N05AD08	Droperidol (2,5 mg)	0,01	0,01	0,01	0,01	0,01

1) Tallene inkluderer også salg av preparater uten markedsføringstillatelse i Norge.

ATC	ATC level name (DDD value)	DDD/1000 inhabitants/day				
		2013	2014	2015	2016	2017
<b>N05AE</b>	<b>Indolderivater</b>	<b>0,18</b>	<b>0,18</b>	<b>0,18</b>	<b>0,18</b>	<b>0,17</b>
N05AE03	Sertindol (16 mg)	0,02	0,02	0,02	0,02	0,01
N05AE04	Ziprasidon (80 mg O/40 mg P)	0,16	0,16	0,14	0,12	0,11
N05AE05	Lurasidon (60 mg)		0,00	0,02	0,04	0,05
<b>N05AF</b>	<b>Tioxantenderivater</b>	<b>1,17</b>	<b>1,12</b>	<b>1,07</b>	<b>1,00</b>	<b>0,94</b>
N05AF01	Flupentixol (6 mg O/4 mg P)	0,27	0,25	0,24	0,22	0,21
N05AF03	Klorprotixen (0,3 g O/50 mg P)	0,41	0,39	0,38	0,36	0,34
N05AF05	Zuklopentixol (30 mg O,P/15 mg P (depot))	0,49	0,47	0,45	0,42	0,39
<b>N05AH</b>	<b>Diazepiner, oxazepiner og tiazipiner</b>	<b>5,74</b>	<b>6,05</b>	<b>6,26</b>	<b>6,29</b>	<b>6,43</b>
N05AH01	Loxapin (9,1 mg)			0,00	0,00	0,00
N05AH02	Klozapin (0,3 g)	0,62	0,63	0,61	0,60	0,60
N05AH03	Olanzapin (10 mg)	3,03	3,10	3,11	3,03	3,01
N05AH04	Quetiapin (0,4 g)	2,09	2,31	2,53	2,65	2,82
N05AH05	Asenapin (20 mg)	0,01	0,00	0,00	0,00	0,00
<b>N05AL</b>	<b>Benzamider</b>	<b>0,09</b>	<b>0,10</b>	<b>0,11</b>	<b>0,10</b>	<b>0,10</b>
N05AL05	Amisulprid (0,4 g)	0,09	0,10	0,11	0,10	0,10
<b>N05AN</b>	<b>Litium</b>	<b>1,24</b>	<b>1,23</b>	<b>1,20</b>	<b>1,17</b>	<b>1,15</b>
N05AN01	Litium (24 mmol)	1,24	1,23	1,20	1,17	1,15
<b>N05AX</b>	<b>Andre antipsykotika</b>	<b>1,69</b>	<b>1,73</b>	<b>1,78</b>	<b>1,77</b>	<b>1,78</b>
N05AX08	Risperidon (5 mg O/2,7 mg P (depot))	0,79	0,72	0,69	0,67	0,64
N05AX12	Aripiprazol (15 mg)	0,67	0,74	0,81	0,82	0,85
N05AX13	Paliperidon (15 mg)	0,24	0,27	0,27	0,29	0,30
<b>N05B</b>	<b>Anxiolytika</b>	<b>16,67</b>	<b>16,02</b>	<b>14,88</b>	<b>13,97</b>	<b>13,06</b>
<b>N05BA</b>	<b>Benzodiazepinderivater</b>	<b>15,05</b>	<b>14,40</b>	<b>13,35</b>	<b>12,62</b>	<b>11,85</b>
N05BA01	Diazepam (10 mg)	7,22	6,86	6,26	5,81	5,44
N05BA04	Oxazepam (50 mg) <sup>1)</sup>	6,28	6,08	5,85	5,68	5,39
N05BA09	Klobazam (20 mg) <sup>1)</sup>	0,12	0,12	0,12	0,12	0,13
N05BA12	Alprazolam (1 mg)	1,55	1,34	1,12	1,01	0,89
<b>N05BB</b>	<b>Difenylmetanderivater</b>	<b>1,41</b>	<b>1,41</b>	<b>1,33</b>	<b>1,17</b>	<b>1,05</b>
N05BB01	Hydroksyzin (75 mg)	1,41	1,41	1,33	1,17	1,05
<b>N05BE</b>	<b>Azapirodekandionderivater</b>	<b>0,20</b>	<b>0,21</b>	<b>0,20</b>	<b>0,18</b>	<b>0,17</b>
N05BE01	Buspiron (30 mg)	0,20	0,21	0,20	0,18	0,17
<b>N05C</b>	<b>Hypnotika og sedativa</b>	<b>45,92</b>	<b>46,17</b>	<b>45,55</b>	<b>45,80</b>	<b>45,15</b>
<b>N05CD</b>	<b>Benzodiazepinderivater</b>	<b>3,83</b>	<b>3,57</b>	<b>3,35</b>	<b>3,09</b>	<b>2,91</b>
N05CD02	Nitrazepam (5 mg)	3,42	3,16	2,96	2,72	2,56
N05CD03	Flunitrazepam (1 mg) <sup>1)</sup>	0,22	0,21	0,17	0,14	0,11
N05CD08	Midazolam (15 mg) <sup>1)</sup>	0,20	0,21	0,21	0,23	0,23
<b>N05CF</b>	<b>Benzodiazepinlignende midler</b>	<b>36,21</b>	<b>35,52</b>	<b>34,41</b>	<b>33,71</b>	<b>32,06</b>
N05CF01	Zopiklon (7,5 mg) <sup>1)</sup>	30,65	29,81	28,63	27,80	26,25
N05CF02	Zolpidem (10 mg) <sup>1)</sup>	5,56	5,72	5,78	5,91	5,81
<b>N05CH</b>	<b>Melatonin reseptor agonister</b>	<b>5,70</b>	<b>6,89</b>	<b>7,61</b>	<b>8,83</b>	<b>10,02</b>
N05CH01	Melatonin (2 mg) <sup>1)</sup>	5,70	6,89	7,61	8,83	10,02
<b>N05CM</b>	<b>Andre hypnotika og sedativa</b>	<b>0,18</b>	<b>0,18</b>	<b>0,18</b>	<b>0,17</b>	<b>0,16</b>
N05CM02	Klometiazol (1,5 g)	0,17	0,17	0,17	0,16	0,15
N05CM18	Deksmedetomidin (1 mg)	0,01	0,01	0,01	0,01	0,01

1) Tallene inkluderer også salg av preparater uten markedsføringstillatelse i Norge.


## ATC gruppe N

ATC	ATC level name (DDD value)	DDD/1000 inhabitants/day				
		2013	2014	2015	2016	2017
<b>N06</b>	<b>Psykoanaleptika</b>	<b>68,22</b>	<b>68,93</b>	<b>70,48</b>	<b>70,63</b>	<b>71,25</b>
<b>N06A</b>	<b>Antidepressiva</b>	<b>56,87</b>	<b>57,07</b>	<b>58,01</b>	<b>57,57</b>	<b>57,26</b>
<b>N06AA</b>	<b>Ikke selektive monaminreopptakshemmere</b>	<b>3,49</b>	<b>3,49</b>	<b>3,50</b>	<b>3,47</b>	<b>3,43</b>
N06AA04	Klomipramin (0,1 g)	0,26	0,24	0,23	0,21	0,19
N06AA06	Trimipramin (0,15 g)	0,34	0,31	0,30	0,27	0,26
N06AA09	Amitriptylin (75 mg)	2,59	2,65	2,70	2,72	2,73
N06AA10	Nortriptylin (75 mg)	0,13	0,14	0,14	0,15	0,14
N06AA12	Doxepin (0,1 g)	0,17	0,15	0,14	0,12	0,11
<b>N06AB</b>	<b>Selektive serotoninreopptakshemmere</b>	<b>37,60</b>	<b>37,29</b>	<b>37,88</b>	<b>37,32</b>	<b>36,64</b>
N06AB03	Fluoxetin (20 mg)	2,15	2,18	2,26	2,52	2,36
N06AB04	Citalopram (20 mg)	4,77	4,42	4,18	3,71	3,41
N06AB05	Paroxetin (20 mg)	2,95	2,82	2,68	2,54	2,42
N06AB06	Sertralin (50 mg)	7,29	7,01	7,53	7,49	7,94
N06AB08	Fluvoxamin (0,1 g)	0,10	0,10	0,10	0,09	0,09
N06AB10	Escitalopram (10 mg) <sup>1)</sup>	20,35	20,76	21,13	20,97	20,42
<b>N06AG</b>	<b>MAO-hemmere, type A</b>	<b>0,15</b>	<b>0,14</b>	<b>0,14</b>	<b>0,13</b>	<b>0,12</b>
N06AG02	Moklobemid (0,3 g)	0,15	0,14	0,14	0,13	0,12
<b>N06AX</b>	<b>Andre antidepressiva</b>	<b>15,64</b>	<b>16,14</b>	<b>16,48</b>	<b>16,66</b>	<b>17,07</b>
N06AX03	Mianserin (60 mg)	1,98	1,89	1,80	1,52	1,44
N06AX11	Mirtazapin (30 mg)	5,22	5,66	5,64	5,58	5,67
N06AX12	Bupropion (0,3 g)	0,98	1,04	1,10	1,08	1,12
N06AX16	Venlafaxin (0,1 g)	6,98	7,00	7,20	7,18	7,13
N06AX18	Reboxetin (8 mg)	0,04	0,04	0,03	0,03	0,03
N06AX21	Duloksetin (60 mg)	0,45	0,50	0,57	0,63	0,68
N06AX26	Vortioksetin (10 mg)		0,00	0,14	0,64	1,00
<b>N06B</b>	<b>Psykostimulantia, midler mot ADHD og nootropika</b>	<b>7,96</b>	<b>8,54</b>	<b>9,25</b>	<b>9,91</b>	<b>10,83</b>
<b>N06BA</b>	<b>Sentralt virkende sympatomimetika</b>	<b>7,92</b>	<b>8,51</b>	<b>9,21</b>	<b>9,87</b>	<b>10,79</b>
N06BA01	Amfetamin (15 mg) <sup>1)</sup>	0,12	0,14	0,12	0,12	0,14
N06BA02	Dexamfetamin (15 mg) <sup>1)</sup>	0,58	0,65	0,69	0,75	0,83
N06BA04	Metylfenidat (30 mg)	6,93	7,36	7,70	7,85	8,20
N06BA07	Modafinil (0,3 g)	0,05	0,05	0,06	0,06	0,07
N06BA09	Atomoksetin	0,24	0,26	0,27	0,27	0,26
N06BA12	Lisdeksamfetamin (30 mg)		0,04	0,36	0,80	1,29
<b>N06BC</b>	<b>Xantinderivater</b>	<b>0,02</b>	<b>0,02</b>	<b>0,02</b>	<b>0,02</b>	<b>0,01</b>
N06BC01	Koffein (0,4 g) <sup>1)</sup>	0,02	0,02	0,02	0,02	0,01
<b>N06BX</b>	<b>Andre psykostimulantia</b>	<b>0,02</b>	<b>0,02</b>	<b>0,03</b>	<b>0,02</b>	<b>0,03</b>
N06BX03	Piracetam (2,4 g)	0,02	0,02	0,03	0,02	0,02
N06BX13	Idebenon (0,9 g)					0,00
<b>N06D</b>	<b>Midler mot demens</b>	<b>3,38</b>	<b>3,32</b>	<b>3,23</b>	<b>3,16</b>	<b>3,16</b>
<b>N06DA</b>	<b>Antikolinesteraser</b>	<b>2,47</b>	<b>2,40</b>	<b>2,36</b>	<b>2,28</b>	<b>2,32</b>
N06DA02	Donepezil (7,5 mg)	1,65	1,57	1,54	1,47	1,50
N06DA03	Rivastigmin (9 mg)	0,76	0,78	0,78	0,78	0,79
N06DA04	Galantamin (16 mg)	0,06	0,05	0,04	0,04	0,03
<b>N06DX</b>	<b>Andre midler mot demens</b>	<b>0,91</b>	<b>0,92</b>	<b>0,87</b>	<b>0,87</b>	<b>0,84</b>
N06DX01	Memantin (20 mg)	0,91	0,92	0,87	0,87	0,84

1) Tallene inkluderer salg av preparater uten markedsføringstillatelse i Norge.

## Salg av psykoletika (N05) og antidepressiva (N06A) 1990 - 2017

Sales of psycholeptics (N05) and antidepressants (N06A) 1990 - 2017



ATC	ATC level name (DDD value)	DDD/1000 inhabitants/day				
		2013	2014	2015	2016	2017
<b>N07</b>	<b>Andre midler med virkning på nervesystemet</b>	<b>11,54</b>	<b>11,64</b>	<b>12,24</b>	<b>12,54</b>	<b>12,90</b>
<b>N07A</b>	<b>Parasympatika</b>	<b>0,13</b>	<b>0,13</b>	<b>0,13</b>	<b>0,14</b>	<b>0,15</b>
N07AA01	Neostigmin (60 mg O/2 mg P) <sup>2)</sup>	0,00	0,00	0,00	0,00	0,00
N07AA02	Pyridostigmin (0,18 g)	0,10	0,10	0,11	0,11	0,13
N07AA51	Neostigmin, kombinasjoner	0,02	0,02	0,02	0,02	0,02
N07AB01	Karbakolin (6 mg O/0,5 mg P) <sup>2)</sup>	0,00	0,00	0,00	0,00	
<b>N07B</b>	<b>Midler ved avhengighetslidelser</b>	<b>11,10</b>	<b>11,09</b>	<b>11,59</b>	<b>11,87</b>	<b>12,23</b>
<b>N07BA</b>	<b>Midler ved nikotinavhengighet</b>	<b>6,86</b>	<b>6,99</b>	<b>7,54</b>	<b>7,85</b>	<b>8,26</b>
N07BA01	Nikotin (14 mg TD/30 mg gum)	6,17	6,48	7,05	7,38	7,81
N07BA03	Vareniklin (2 mg)	0,69	0,51	0,49	0,47	0,45
<b>N07BB</b>	<b>Midler ved alkoholavhengighet</b>	<b>0,47</b>	<b>0,45</b>	<b>0,44</b>	<b>0,43</b>	<b>0,42</b>
N07BB01	Disulfiram (200 mg)	0,41	0,40	0,39	0,39	0,37
N07BB03	Acamprosat (2 g)	0,02	0,02	0,02	0,01	0,02
N07BB04	Naltrexon (50 mg)	0,00	0,01	0,01	0,01	0,01
N07BB05	Nalmefen (18 mg)	0,02	0,02	0,02	0,01	0,01
<b>N07BC</b>	<b>Midler ved opioidavhengighet</b>	<b>3,77</b>	<b>3,65</b>	<b>3,61</b>	<b>3,59</b>	<b>3,55</b>
N07BC01	Buprenorfin (8 mg)	0,97	0,96	0,99	1,03	1,08
N07BC02	Metadon (25 mg) <sup>1)</sup>	2,25	2,12	2,07	2,06	2,02
N07BC51	Buprenorfin, kombinasjoner (8 mg) <sup>1)</sup>	0,55	0,57	0,55	0,51	0,44

1) Tallene inkluderer også salg av preparater uten markedsføringstillatelse i Norge.

2) Salg av apotekpreparater.

## ATC gruppe N

ATC	ATC level name (DDD value)	DDD/1000 inhabitants/day				
		2013	2014	2015	2016	2017
<b>N07X</b>	<b>Andre midler med virkning på nervesystemet</b>	<b>0,31</b>	<b>0,43</b>	<b>0,51</b>	<b>0,53</b>	<b>0,53</b>
N07XX02	Riluzol (0,1 g)	0,04	0,04	0,04	0,05	0,05
N07XX04	Hydroksybutyrsyre (7,5 mg)	0,01	0,01	0,01	0,02	0,02
N07XX05	Amifampridin (40 mg)			0,00	0,00	0,00
N07XX07	Fampridin (0,02 g)	0,26	0,27	0,27	0,28	0,28
N07XX09	Dimetylfumarate (0,48 g)		0,10	0,18	0,18	0,17